

AYUSCRIPT


International Journal for Empirical Research in Ayurveda

www.ayuscript.com

Volume - 5, Issue - 3
July-September:2026

ॐ नमो भगवते वासुदेवाय ॥ १ ॥ विश्वकर्मो एमाहूयपुरीहाटकनि
र्मेता ॥ तत्रयोऽशसाहस्रस्त्रीणां चैव वराधिकम् ॥ ११ ॥ भवनानि मनोज्ञा
नि योमध्यकल्पयन् ॥ परिजानतस्तत्रैवतासां भोगाय कल्पयन् ॥ १२ ॥ या
सानां गृहास्तत्र धृष्टपेयाशनकोटयः ॥ अन्यपि बहुलोलोकावसेनि विगत
राः ॥ १३ ॥ यत्किंचित्त्रिभुलोकेषु सुंदरं न च दृश्यते ॥ स वा जित प्रज्ञेनाप्यो पु
न बुगुण्य विद्युते ॥ १४ ॥ अमोघं नीरमासाद्य तन्मनस्कं न याचसः ॥ स चाजि
तपस्तेपेस्वर्यं मुदि शप बुद्धिमान् ॥ १५ ॥ अर्जुनिरसं न हृत्पस्य सर्वदुःखं च
नः ॥ प्रसन्नो भगवान् स जितपुरंस्थितः ॥ १६ ॥ स आर्जुनोऽपि तु ह्यवदष्टादेव हि
॥ करम् ॥ न ज्ञो राशनमस्तेस्तनमस्ते सर्वतो मुखः ॥ १७ ॥ विश्वव्यापिन्मस्ते क
मस्ते निभूरुपिणः ॥ कर्षपेयनमस्तेस्तु हरिदस्ते नमोस्तुते ॥ १८ ॥ गृहराजनम
स्तेस्तु नमस्ते चंद्रोच्चित् ॥ वेदत्रयनमस्तेस्तु सर्वदेवनमोस्तुते ॥ १९ ॥ प्रसीद
हि देवता सुदृष्ट्या मां दिवाकर ॥ २० ॥ सत्कथमानोऽसौ देवदेवादिवाकर ॥ २१ ॥
सिंहासने भिरनधरं स वा जित स वा जित ॥ २२ ॥ अर्जुनोऽपि तु ह्यवदष्टादेव हि





International Journal for Empirical Research in Ayurveda

Viruddha Ahara (Incompatible Diet) and its Impact on Human Health

Dumore S.G.¹, Turak S.G.²

1. Associate Professor, Department of Agadtantra, Somayya Ayurved Medical College and Hospital, Bhadrawati, Dist Chandrapur.
2. Assistant Professor, Department of Rachana sharir, Somayya Ayurved Medical College and Hospital, Bhadrawati, Dist Chandrapur.

ABSTRACT:

Ahara (diet) is regarded in Ayurveda as one of the three sub-pillars (Trayopastambha) that sustain life, and its correct use is considered a foremost determinant of health. Viruddha Ahara, or incompatible diet, denotes foods, combinations, processing methods, quantities, or contexts of eating that are mutually antagonistic or antagonistic to the body's tissues. According to the Charaka Samhita, such incompatibility impairs Agni (digestive and metabolic fire), generates Ama (incompletely metabolised, toxic material), vitiates the Doshas, and thereby seeds a wide range of acute and chronic disorders — from skin diseases, digestive disturbance and anaemia to infertility, metabolic disease and psychological illness. This article reviews the classical framework of Viruddha Ahara: its definition, the eighteen categories described by Charaka, its proposed pathophysiology, and the disease spectrum attributed to it. It then examines these ideas against contemporary nutritional and biochemical science including heat-induced food toxicants such as hydroxymethylfurfural (HMF), enzymatic and digestive interference, oxidative stress, advanced glycation end-products, and gut-microbiome disruption. While several classical observations align plausibly with modern mechanisms, rigorous clinical validation remains limited. The concept is best viewed as a testable, mechanistically suggestive dietary framework whose long-term health implications warrant systematic research.

Keywords: Viruddha Ahara; incompatible food; Agni; Ama; food combinations; hydroxymethylfurfural; diet and disease.

CORRESPONDING AUTHOR:

Dr.Sachin Govindrao Dumore

Associate Professor, Department of Agadtantra

Somayya Ayurved Medical College and Hospital, Bhadrawati, Dist Chandrapur.

Email: docsadu@gmail.com, **Mob.No** 8888901878

How to cite this Article:

Dumore S.G., Turak S.G. Viruddha Ahara (Incompatible Diet) and its Impact on Human Health. AYUSCRIPT 2026;5(3):33-40

DOI:<http://doi.org/10.55552/AYUSCRIPT.2026.5306>

Introduction:

Ayurveda, the classical Indian science of life, places diet at the centre of both the preservation of health and the causation of disease. Food (Ahara) is counted among the Trayopastambha — the three sub-pillars of the body, alongside sleep (Nidra) and regulated conduct (Brahmacharya). The tradition holds that it is not merely what one eats but how food is combined, processed, timed, and matched to the individual that decides whether it nourishes the tissues or becomes a source of harm. Against this background the texts define.

Viruddha Ahara: literally “incompatible” or “antagonistic” diet. The Charaka Samhita devotes a dedicated discussion to it in the Sutrasthana (Chapter 26, Atreyabhadrapyaya Adhyaya), enumerating the ways in which food may become incompatible and cataloguing the disorders that follow. The Sushruta Samhita and Ashtanga Hridaya elaborate the same theme. The concern is strikingly modern: it is a systematic attempt to describe how the context of eating — not just nutrient content — shapes physiological outcome. The relevance of this idea has arguably grown. Contemporary diets increasingly feature fusion foods, milk-and-fruit desserts and smoothies, honey used in hot beverages and baked goods, chilled and reheated processed foods, and eating patterns detached from season, climate, and individual constitution. This article restates the classical concept faithfully, then evaluates it critically against what modern nutritional and biochemical science can and cannot yet confirm.

Concept and Definition:

Charaka defines Viruddha Ahara as any diet that aggravates the Doshas but does not expel

them from the body — that is, food which disturbs the internal equilibrium without providing an outlet for that disturbance. More broadly, incompatibility arises whenever substances, or the manner of their use, act against one another or against the body's tissues (Dhatus), interfering with normal digestion, tissue formation, and metabolism. Incompatibility in this sense is relational and contextual rather than absolute. A food that is wholesome in one season, place, quantity, or person may be incompatible in another. The classical scheme therefore does not merely blacklist ingredients; it describes categories of mismatch. Three broad routes to harm can be distinguished:

1. **Substance-against-substance** — two foods whose qualities (potency, post-digestive effect) oppose one another, e.g. milk with fish.
2. **Substance-against-context** — an otherwise suitable food used in the wrong season, place, quantity, or sequence.
3. **Substance-against-person** — food unsuited to the individual's constitution (Prakriti), digestive capacity (Agni), habituation (Satmya), or state of health.

Classification: The Eighteen Types of Viruddha Ahara:

Charaka describes eighteen forms of incompatibility. They are best read not as an exhaustive list of forbidden dishes but as a diagnostic checklist — dimensions along which any meal can be evaluated.

Table No.1 The Eighteen types of Viruddha Ahara:

Type of Viruddha	Nature and representative example
Desha (Place)	Food unsuited to the geography where it is eaten — e.g. dry, sharp foods in an already dry region.
Kala (Time / Season)	Food out of harmony with the season or time of day — e.g. cold, heavy food in winter cold, or pungent food in summer heat.
Agni (Digestive fire)	Food inappropriate to one's digestive capacity — heavy food on weak Agni, or light food on very strong Agni.
Matra (Quantity / Proportion)	Wrong quantity, or wrong proportion of ingredients — e.g. honey and ghee taken in equal weight.
Satmya (Suitability)	Food opposed to what the person is habituated to — e.g. sweet, cold foods for one accustomed to pungent, hot ones.

Type of Viruddha	Nature and representative example
Dosha (Constitution)	Food that mirrors and aggravates an already dominant Dosha without correcting it.
Samskara (Processing)	Harm arising from the mode of preparation — e.g. heating honey, or certain foods reheated or cooked improperly.
Virya (Potency)	Combining substances of opposite potency — hot-potency with cold-potency, e.g. fish (heating) with milk (cooling).
Koshtha (Bowel)	Dose of food or medicine mismatched to the bowel type — mild measures for a hard bowel, strong for a soft one.
Avastha (State / Condition)	Food unsuited to the person's physical state — e.g. heavy food after exertion, or activity-inappropriate diet.
Krama (Sequence)	Wrong order of eating — e.g. taking sweet items or curd at the start, or eating before the previous meal is digested.
Parihara (Contraindication)	Ignoring a required restriction — e.g. hot substances immediately after pork or other specified foods.
Upachara (Treatment Regimen)	Regimen that conflicts with the food just taken — e.g. cold exposure after consuming ghee.
Paka (Cooking)	Undercooked, overcooked, or badly cooked food, or preparation with poor fuel/method.
Samyoga (Combination)	Antagonistic combinations — the classic example being milk with sour fruits.
Hridaya (Palatability)	Food that is unpalatable or disagreeable to the individual.
Sampad (Quality / Richness)	Food lacking its due qualities — unripe, over-ripe, stale, or of degraded quality.
Vidhi (Rules of eating)	Eating in violation of proper dietary rules — e.g. in public, hurriedly, or without attention.

Frequently Cited Examples:

Certain combinations recur across the classical texts and remain the most commonly cited in practice. Several map onto ingredients that are ubiquitous in modern convenience and fusion foods.(Table no.2)

Combination practice /	Classical basis	Attributed effect
Milk + fish	Opposite potency (Virya): milk cooling, fish heating	Traditionally linked to skin disease and blood vitiation.
Milk + sour fruits / citrus	Combination (Samyoga): sourness curdles milk	Impaired digestion, curdling in the gut, discomfort.
Milk + salt / sour + banana	Antagonistic qualities	Digestive disturbance; skin complaints.
Honey + ghee in equal weight	Proportion incompatibility (Matra)	Considered especially harmful in equal parts.
Heated / cooked honey	Processing (Samskara)	Classically likened to a slow poison (see §6).
Curd at night; hot + cold together	Time / temperature mismatch	Congestion, indigestion, Ama formation.

Combination practice /	Classical basis	Attributed effect
Reheated, stale, or fermented items	Quality (Sampad) & processing	Loss of quality, toxic residue, poor digestion.

Note: these attributions come from classical observation and clinical tradition. Their status under controlled modern testing varies from plausible to unverified, as discussed in Section 7.

Proposed Mechanism of Harm:

The Ayurvedic explanation of how Viruddha Ahara causes disease turns on three linked ideas: **Agni**, **Ama**, and **Dosha** vitiation.

Impairment of Agni: Agni denotes the body's digestive and metabolic fire — the capacity to transform food into usable tissue. Incompatible foods are said to burden or confuse this process: substances of opposing potency, or eaten at the wrong time or in the wrong order, disrupt orderly digestion. When Agni is impaired, food is not fully metabolised.

Formation of Ama: The product of impaired digestion is Ama — a sticky, incompletely processed, biologically “unripe” residue regarded as toxic. Ama is held to circulate, obstruct channels (Srotas), and provide the substrate for disease. In modern language this maps loosely onto notions of maldigestion, accumulation of reactive or poorly cleared metabolites, and low-grade metabolic disturbance.

Vitiation of the Doshas and tissues:

The disturbance created by incompatible food aggravates one or more Doshas (Vata, Pitta, Kapha) without expelling them, and progressively affects the Dhatus (tissues). Because the aggravation is retained rather than cleared, the effect can be cumulative — which is why the texts emphasise habitual, long-term consumption as especially dangerous. Effects are classified as acute (Ashukari) or chronic (Chirakari).

Impact on Human Health:

Charaka lists an extensive spectrum of disorders attributed to persistent Viruddha Ahara. They are usefully grouped by time-course.

Acute manifestations (Ashukari):

Fainting and giddiness; abdominal distension and gastritis; nausea and vomiting; diarrhoea; fever; and acute allergic-type or toxic reactions.

These represent the body's immediate response to a poorly tolerated meal.

Chronic manifestations (Chirakari):

1. Skin disorders (Kushtha) — the most consistently emphasised outcome, including chronic and recurrent skin disease.
2. Digestive and metabolic disease — chronic indigestion, anaemia, obesity, and disorders now grouped as metabolic syndrome and diabetes.
3. Reproductive effects — impaired fertility, impotence, and, in classical framing, defects affecting progeny.
4. Neurological and psychological illness — disorders described as insanity (Unmada) and, in modern terms, mood and cognitive disturbance.
5. Others — fistula-in-ano, oedema/ascites, sensory impairment, and, with severe and sustained misuse, life-threatening decline.

The texts are careful to note that harm is dose- and context-dependent. A strong Agni, youth, physical activity, unctuous diet, and habituation are said to mitigate the impact; the very young, the elderly, the debilitated, and those with weak digestion are most vulnerable. This graded, host-dependent view anticipates the modern understanding that individual susceptibility strongly modifies dietary risk.

Modern Scientific Perspective:

Several classical claims have plausible correlates in contemporary biochemistry and nutrition science. Others remain untested. A scientifically honest reading separates the two.

Heat-processed honey and hydroxymethylfurfural (HMF):

The classical prohibition on heating honey is one of the most cited points of convergence. Modern food chemistry establishes that heating sugar-rich, mildly acidic substances such as honey drives the Maillard reaction and dehydration of fructose to form **5-hydroxymethylfurfural (HMF)**. HMF rises with temperature and storage time, and is used internationally as a marker of honey overheating; regulatory bodies cap it (commonly 40 mg/kg) in honey sold for consumption. At high doses HMF and its

metabolite 5-sulfoxymethylfurfural show mutagenic, genotoxic and cytotoxic effects in laboratory studies.

Important caveat: the toxicological findings are largely dose-dependent and derive from high-exposure animal and in-vitro work; HMF also displays antioxidant and anti-inflammatory activity in some contexts, and typical dietary exposures are far below overtly toxic levels. The classical caution against cooked honey is therefore mechanistically reasonable and directionally supported — heated honey does form a recognised food toxicant — but the traditional framing of heated honey as an outright “poison” overstates what the human data currently establish.

Enzymatic and digestive interference in food combinations:

The idea that certain combinations impair digestion has partial modern parallels. Fat delays gastric emptying; large simple-sugar loads can ferment if retained; acidic fruit added to milk curdles casein, which some individuals find harder to tolerate. Mixed meals also alter the rate and completeness of nutrient absorption. These are real, measurable effects. They fall short, however, of demonstrating that specific classical pairs reliably cause the diseases attributed to them; most “food-combining” claims lack strong clinical confirmation.

Milk–fish and histamine/allergenic load: The milk-with-fish prohibition is sometimes explained through histamine and biogenic amines (which accumulate in poorly stored fish) and through the combined allergenic and microbial load of two perishable protein foods. This is a plausible hypothesis for occasional skin and gastrointestinal reactions, but direct experimental evidence tying this specific pairing to disease is scarce.

Heat-borne toxicants, AGEs, and oxidative stress:

Beyond HMF, high-temperature and repeated cooking generate advanced glycation end-products (AGEs), acrylamide, and lipid-oxidation products, which are associated in the wider literature with oxidative stress, inflammation, and chronic-disease risk. The classical concern with faulty Samskara (processing) and reheated or degraded food aligns conceptually with this modern body of work on cooking-induced contaminants.

Gut microbiome, “Ama”, and metabolic health:

The Ayurvedic concept of Ama — incompletely digested residue that fosters disease — invites comparison with modern findings on maldigestion, dysbiosis of the gut microbiome, intestinal-barrier dysfunction, and the low-grade systemic inflammation that links poor diet to metabolic and inflammatory disease. The mapping is analogical rather than proven, but it identifies a coherent, testable set of mechanisms through which incompatible or poorly processed diets could plausibly act.

Contemporary Relevance:

Modern eating patterns multiply the situations Viruddha Ahara warns against: milk-and-fruit smoothies, custards and shakes; honey in hot tea, baked goods and glazes; chilled foods eaten with hot; deep-fried and reheated processed foods; and diets divorced from season, climate, and individual constitution. Cross-sectional surveys of dietary habits report frequent, often unknowing consumption of such combinations, alongside a rising burden of lifestyle and metabolic disease. Whether or not every classical pairing is validated, the underlying message — that combination, processing, timing, and individual fit matter, not calories alone — is consonant with contemporary personalised-nutrition thinking.

Discussion:

Taken together, the classical account of Viruddha Ahara and the modern evidence surveyed above stand in a relationship of partial, uneven convergence. The purpose of this section is to characterise that relationship precisely: to distinguish what modern science has effectively corroborated from what it merely renders plausible, to consider why the two traditions describe the same dietary phenomena in such different vocabularies, and to identify what would be required to move the concept from suggestive analogy to tested knowledge.

First, claims with direct mechanistic corroboration: The prohibition on heated honey belongs here. That heating honey generates hydroxymethylfurfural is not in dispute; HMF is a recognised marker of thermal abuse, is subject to regulatory limits, and has demonstrated genotoxic potential at high exposure. The classical injunction and the food-chemistry finding point in the same direction, and the classical rule can be said to

have anticipated a real hazard. Similar reasoning applies to repeatedly reheated and high-temperature-processed foods, where acrylamide, lipid-oxidation products and advanced glycation end-products are well characterised.

Second, claims with a coherent but unconfirmed mechanism: The milk–fish prohibition, the caution against fruit with milk, and several of the Samyoga (combination) rules fall into this tier. Biogenic amines in poorly stored fish, acid-induced casein coagulation, delayed gastric emptying with high-fat loads, and the combined allergenic burden of two perishable proteins are all real phenomena that could plausibly produce the reactions described. What is missing is the connecting evidence: no controlled study has shown that these specific pairings, in ordinary dietary amounts, reliably produce the outcomes attributed to them.

Third, claims that remain untested: Much of the Desha (place), Kala (time), Krama (sequence) and Avastha (state) categories has no counterpart in the current experimental literature at all. This is not evidence of falsity; it is an absence of investigation. These categories encode contextual variables that nutritional science has only recently begun to take seriously, and their neglect reflects the difficulty of studying context rather than a verdict on its importance. Reading the evidence in tiers matters practically. It permits confident public-health advice where the science is firm, honest agnosticism where it is not, and a research agenda directed at the tier where uncertainty is greatest and the classical claims most specific.

Two explanatory frameworks, one object of enquiry:

A recurring difficulty in this field is the temptation to treat Ayurvedic constructs as though they were misnamed biochemical entities. Agni is not simply digestive enzyme activity, and Ama is not simply a metabolite or an endotoxin. They are functional constructs within an internally coherent system, defined by the roles they play in explaining transformation and its failure. Mapping them onto maldigestion, dysbiosis and low-grade inflammation is analytically useful and generates testable predictions, but the mapping is a translation, not an identity, and each such translation loses information in both directions.

Dose, host, and the problem of the individual:

Almost every finding reviewed here is conditional on quantity and on the person consuming the food, and this conditionality is frequently lost in popular retellings. HMF is genotoxic in high-dose laboratory models; ordinary dietary exposure sits well below those levels and also carries antioxidant activity in some contexts. Fish-borne histamine causes symptoms in a minority, largely determined by storage conditions and by individual diamine oxidase capacity. Milk tolerance varies with lactase persistence, itself strongly patterned by ancestry. The same meal is therefore not the same exposure for two different people. Ayurveda addresses precisely this variability through Prakriti (individual constitution) and through the Satmya (habituation) clause, which holds that a nominally incompatible food may be tolerated by one accustomed to it. Modern nutrition has arrived at a structurally similar position by a different route, through work on genetic polymorphisms, enzyme phenotypes, glycaemic variability and microbiome composition, which has shown that responses to identical meals differ substantially between individuals. The convergence at the level of principle — that dietary advice must be stratified rather than universal — is more robust than any of the specific pairings, and is arguably the concept's most defensible contribution.

What the framework contributes, and where it overreaches:

The distinctive contribution of Viruddha Ahara is that it treats compatibility as a dietary variable in its own right. Conventional nutritional assessment evaluates foods largely by composition: energy, macronutrients, micronutrients, and increasingly food-processing category. The classical framework asks a different set of questions — what was this eaten with, how was it processed, in what quantity, in what sequence, at what season, and by whom — and asserts that these determine health outcomes independently of nutrient content. Contemporary work on the food matrix, on food synergy, and on ultra-processing as a risk factor independent of nutrient profile suggests these questions are not misconceived. The overreach lies elsewhere: in the transmission rather than the original texts. Popular presentations routinely escalate classical caution into absolute

prohibition, and describe common combinations as immediate poisons or certain causes of serious disease. Such framing is unsupported by the evidence reviewed here, and carries its own costs — unnecessary dietary restriction, food anxiety, nocebo-mediated symptoms, and, at worst, delayed presentation for conditions requiring conventional diagnosis and care. A defensible account of Viruddha Ahara must be willing to state plainly which of its claims current evidence does not support.

Implications for practice and public health:

Several recommendations follow from the present evidence irrespective of how the contested pairings are eventually resolved, because each is independently justified and carries negligible risk: avoid adding honey to boiling liquids or subjecting it to prolonged high-temperature cooking; avoid repeatedly reheated frying oil and heavily charred foods; observe cold-chain discipline for fish and other perishable proteins; moderate habitual consumption of very-high-temperature-processed foods; and attend to individual tolerance rather than applying uniform rules. These measures are consistent with both the classical caution and mainstream food-safety guidance. Beyond specific rules, the framework's practical value may lie in its orientation. It directs attention to how food is combined, processed, timed and matched to the person — dimensions that nutrient-focused advice tends to neglect, and that map naturally onto the questions personalised nutrition is now asking. Practitioners advising patients on this basis should distinguish clearly between recommendations with independent evidentiary support and those offered on traditional authority alone, and should avoid presenting dietary incompatibility as an explanation for symptoms that warrant investigation.

Conclusion:

Viruddha Ahara is a sophisticated classical framework asserting that the compatibility of food — across combination, processing, quantity, timing, place, and person — is a determinant of health independent of nutrient content. Its proposed mechanism, working

through impaired Agni, the formation of Ama, and retained Dosha vitiation, describes a plausible route from maladapted diet to chronic disease. Modern science offers partial, mechanism-level support for several of its claims — most clearly for the hazards of heat-processed honey and cooking-induced food toxicants — while leaving many specific pairings unverified. Approached critically rather than dogmatically, Viruddha Ahara is a rich source of testable hypotheses. Integrating this traditional dietary logic with rigorous nutritional and biochemical research could enrich personalised nutrition and preventive medicine, provided claims are held to contemporary standards of evidence.

References:

1. Charaka Samhita, Sutrasthana, Chapter 26 (Atreyabhadrapyaya Adhyaya), verses on Viruddha Ahara. (Standard editions, e.g. Sharma RK, Dash B, trans. Varanasi: Chaukhambha.)
2. Sushruta Samhita, Sutrasthana, Chapter 20 (Hitahitiya Adhyaya). Varanasi: Chaukhambha Orientalia.
3. Ashtanga Hridaya of Vagbhata, Sutrasthana (dietary incompatibility). Varanasi: Chaukhambha.
4. Sabnis M. Viruddha Ahara: A critical view. *Journal of Ayurveda and Integrative Medicine*. 2012;3(3):145–149.
5. Naikar A, Naaz F, Bacha A, et al. Viruddha Ahara (wrong food combination) — A Review. *Journal of Ayurveda and Integrated Medical Sciences*. 2022;7(3):132–135.
6. Shapla UM, Solayman M, Alam N, et al. 5-Hydroxymethylfurfural (HMF) levels in honey and other food products: effects on bees and human health. *Chemistry Central Journal*. 2018;12:35.
7. Kowalski S, Lukasiewicz M, et al. Toxicological aspects of the heat-borne toxicant 5-hydroxymethylfurfural (HMF): a review. (Food-chemistry / toxicology literature on Maillard-derived HMF.)
8. Insights into food incompatibilities: Ayurveda and modern nutrition. *Journal of Drug Research in Ayurvedic Sciences*. 2024. (Review of Viruddha Ahara and contemporary correlates.)

Authors Contribution: All authors have contributed equally.

Financial Support and Sponsorship: None declared

Conflict of Interest: There are no conflicts of interest.


Declaration of Generative AI and AI Assisted Technologies in the writing process: The author has not used generative AI/AI assisted technologies in the writing process.

©2026 AYUSCRIPT (International Journal for Empirical Research in Ayurveda) An Official Publication of ARCA- AYURVEDA RESEARCH & CAREER ACADEMY

Website: <https://ayuscript.com/>

Email: ayuscriptjournal@gmail.com

IIFS Impact Factor: 4.175



International Journal for Empirical Research in Ayurveda